

Clinical drug monitoring



Clinical drug monitoring

Test list with test codes

To add medMATCH® include code 39158 with your order.

Drug class	P	P,D	D	Drug class	P	P,D	D	Drug class	P	P,D	D	Drug class	P	P,D	D
Alcohol Metabolites		39366	39384	Buprenorphine with Naloxone	39353	39373	39391	Meperidine		39408		Phosphatidylethanol (PEth), Blood			12198 ^a
Amphetamines	39344	39367	39385	Carisoprodol			39403	Methadone Metabolite	39360	39379	39398	Pregabalin			39410
Amphetamines with Reflex d/l Isomers		39368	39386	Cocaine Metabolite	39354	39374	39392	Methamphetamine d/l Isomers			39413	Tapentadol			39405
Antidepressants (urine) ^a		94032		Eszopiclone			39434	Methylphenidate			39409	Tramadol			39406
Antidepressants (serum) ^a		94031		Fentanyl	39356	39375	39393	Mitragynine			39432	Tricyclic Antidepressants			39411
Antipsychotics (urine) ^a		94528		Gabapentin			39407	Naltrexone			39414	Zolpidem			39435
Antipsychotics (serum) ^a		94529		Heroin Metabolite	39357	39376	39394	NPS Panel			13086 ^{a,b}				
Barbiturates	39350	39369	39387	Ketamine			11831	Opiates	39361	39380	39399 ^c				
Benzodiazepines	39352	39371	39389	Marijuana Metabolite	39358	39377	39395	Oxycodone	39363	39381	39399 ^d				
				MDMA/MDA	39359	39378	39397	Phencyclidine	39364	39382	39401				

^a medMATCH not available at this time.

^b Included in NPS Panel: designer benzodiazepines, designer fentanyl analogs, designer opioids, designer stimulants, synthetic cannabinoids, other illicit additives.

^c Includes oxycodone drug class.

^d Included in Opiates Expanded.

Test panels^e

Panel name and test codes	Base Panel		Panel 1			Panel 4		Panel 5			Panel 6	Panel 7	Panel 8
	39415	39421	39416	39422	39426	39419	39424	39420	39425	39427	39428	39429	39430
Drug class	P	P,D	P	P,D	P,D	P	P,D	P	P,D	P,D	P,D	P,D	P,D
Alcohol Metabolites/EtG											ALC	ALC	ALC
Amphetamines			AMP	AMP		AMP	AMP	AMP	AMP		AMP	AMP	AMP
Amphetamines d/l Isomers					ADL					ADL			
Barbiturates			BAR	BAR	BAR	BAR	BAR	BAR	BAR	BAR	BAR	BAR	
Benzodiazepines	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN	BEN
Buprenorphine with Naloxone													BUP
Cocaine Metabolite	COC	COC	COC	COC	COC	COC	COC	COC	COC	COC	COC	COC	COC
Heroin Metabolite											HER	HER	HER
Marijuana Metabolite			MAR	MAR	MAR			MAR	MAR	MAR	MAR	MAR	MAR
MDMA/MDA													MDM
Methadone Metabolite			MTH	MTH	MTH	MTH	MTH	MTH	MTH	MTH	MTH	MTH	
Opiates	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI	OPI
Oxycodone	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY	OXY
Phencyclidine			PCP	PCP	PCP	PCP	PCP				PCP		

^e Additional testing is available at TestDirectory.QuestDiagnostics.com.

P = Presumptive

D = Definitive

P,D = Presumptive with reflex to Definitive

Clinical drug monitoring

Test panels



To add medMATCH® include code 39158 with your order.

Base Panel

39415 (P), 39421 (P,D)

Benzodiazepines
Cocaine Metabolite
Opiates
Oxycodone
Specimen Validity Test

Panel 1

39416 (P), 39422 (P,D)

Amphetamines
Barbiturates
Benzodiazepines
Cocaine Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Phencyclidine
Specimen Validity Test

Panel 1 with Amphetamines d/l Isomers

39426 (P,D)

Amphetamines with Reflex d/l Isomers
Barbiturates
Benzodiazepines
Cocaine Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Phencyclidine
Specimen Validity Test

Panel 4

39419 (P), 39424 (P,D)

Amphetamines
Barbiturates
Benzodiazepines
Cocaine Metabolite
Methadone Metabolite
Opiates
Oxycodone
Phencyclidine
Specimen Validity Test

Panel 5

39420 (P), 39425 (P,D)

Amphetamines
Barbiturates
Benzodiazepines
Cocaine Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Specimen Validity Test

Panel 5 with Amphetamines d/l Isomers

39427 (P,D)

Amphetamines with Reflex d/l Isomers
Barbiturates
Benzodiazepines
Cocaine Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Specimen Validity Test

Panel 6

39428 (P,D)

Alcohol Metabolites/EtG
Amphetamines
Barbiturates
Benzodiazepines
Cocaine Metabolite
Heroin Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Phencyclidine
Specimen Validity Test

Panel 7

39429 (P,D)

Alcohol Metabolites/EtG
Amphetamines
Barbiturates
Benzodiazepines
Cocaine Metabolite
Heroin Metabolite
Marijuana Metabolite
Methadone Metabolite
Opiates
Oxycodone
Specimen Validity Test

Panel 8

39430 (P,D)

Alcohol Metabolites/EtG
Amphetamines
Benzodiazepines
Buprenorphine with Naloxone
Cocaine Metabolite
Heroin Metabolite
Marijuana Metabolite
MDMA/MDA
Opiates
Oxycodone
Specimen Validity Test

P = Presumptive D = Definitive P,D = Presumptive with reflex to Definitive

For healthcare professionals seeking assistance with interpreting results, please contact a Quest Diagnostics Toxicology Specialist at 1.877.40.RX TOX (1.877.407.9869), M–F 8:00 AM to 10:00 PM ET.

Clinical drug monitoring

Test panels

To add medMATCH® include code 39158 with your order.

Definitive drug testing panels

Our direct-to-definitive testing panels offer convenience with one code and one consolidated report.

- Simple ordering with single order code for all drug/drug classes and single order code for medMATCH® testing
- Less urine specimen required: 9 mL total; fewer test not performed/quality not sufficient results that require repeat testing
- Consolidated e-reporting that's easy to interpret in EMR interfaces

Drug Monitoring Assess Panel, Base, Quantitative, Urine (7 drugs)

39989 (D)

Drug/drug class	Metabolite/reportable drug
Amphetamines	Amphetamine; Methamphetamine
Benzodiazepines	Alpha-hydroxyalprazolam; Aminoclonazepam; Hydroxyethylflurazepam; Lorazepam; Nordiazepam; Oxazepam; Temazepam
Cocaine	Benzoyllecgonine
Fentanyl	Fentanyl; Norfentanyl
Heroin	6-Acetylmorphine
Opiates	Codeine; Morphine; Hydrocodone; Hydromorphone; Norhydrocodone
Oxycodone	Noroxycodone; Oxycodone; Oxymorphone
Specimen Validity Test	

Drug Monitoring Assess Panel, Plus, Quantitative, Urine (10 drugs)

39991 (D)

Drug/drug class	Metabolite/reportable drug
Amphetamines	Amphetamine; Methamphetamine
Benzodiazepines	Alpha-hydroxyalprazolam; Aminoclonazepam; Hydroxyethylflurazepam; Lorazepam; Nordiazepam; Oxazepam; Temazepam
Buprenorphine	Buprenorphine; Norbuprenorphine
Cocaine	Benzoyllecgonine
Fentanyl	Fentanyl; Norfentanyl
Heroin	6-Acetylmorphine
Methadone	Methadone; EDDP
Naloxone	Naloxone
Opiates	Codeine; Morphine; Hydrocodone; Hydromorphone; Norhydrocodone
Oxycodone	Noroxycodone; Oxycodone; Oxymorphone
Specimen Validity Test	

Continually updated NPS panel to help identify non-compliance and potential misuse

The Drug Monitoring, NPS panel from Quest simultaneously identifies a broad array of NPS classes using definitive liquid chromatography-tandem mass spectrometry (LC-MS/MS)-based testing and reports out at the class level to help identify misuse.

Current drug classes include:

- Designer benzodiazepines ie, BZS, clonazepam
- Designer fentanyl analogs ie, carfentanyl, chlorofentanyl
- Designer opioids ie, nitazenes
- Designer stimulants ie, fluorexetamine
- Synthetic cannabinoids ie, ADB-5Br-PINACA
- Other illicit additives ie, xylazine, tianeptine

Substances included in panel will be updated periodically, using data from:

- Internal surveillance data from specimens across the country
- Reporting from law enforcement, public health organizations, and public safety agencies
- Recommendations from research organizations

Simplified ordering

- List of substances in the panel to be reviewed at least annually and updated periodically
- No changes to test code or required EHR updates as substances move on/off the panel
- Standard urine specimen collection

Drug Monitoring, Novel Psychoactive Substances (NPS), Qualitative, Urine

13086

NPS analyte	Analyte cutoff (ng/mL) ^f
Designer benzodiazepines	Drug class cutoff 10 ng/mL
Designer fentanyl analogs	Drug class cutoff 5 ng/mL
Designer opioids	Drug class cutoff 10 ng/mL
Designer stimulants	Drug class cutoff 10 ng/mL
Synthetic cannabinoids	Drug class cutoff 10 ng/mL
Other illicit additives	Drug class cutoff 10 ng/mL

- A “positive” result for a drug class indicates that at least 1 drug or its metabolite has been definitively detected at, or above, the cutoff value for that drug or metabolite
- A “negative” result for a drug class indicates that no drugs or metabolites were detected at levels above the cutoff value for those drugs or metabolites
- Cutoffs for individual drugs and their metabolites vary from 1 ng/mL to 10 ng/mL, but NPS class cutoffs on the report are listed as the highest cutoff within a class (ie, 10 ng/mL)

^f Class cutoff listed on the report is the highest individual analyte cutoff. Definitive testing includes all analytes at the cutoffs listed.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Alcohol Metabolites	500	500 100	Ethyl Glucuronide (EtG)	Ethyl Sulfate (EtS)		up to 80 hours
Amphetamines	500	250	Amphetamine		Amphetamine — Adderall®, Dexedrine®, Dextrostat®, Mydayis®, Vyvanse®	1–3 days
			Methamphetamine	Amphetamine	Methamphetamine — Desoxyn®	
Amphetamines with Reflex Methamphetamine d/l Isomers	500	250	Amphetamine		Amphetamine — Adderall®, Dexedrine®, Dextrostat®, Mydayis®, Vyvanse®	1–3 days
			Methamphetamine	Amphetamine	Methamphetamine — Desoxyn®	
			d-Methamphetamine		d-Methamphetamine — Desoxyn®	
			l-Methamphetamine		Selegiline l-metabolite — Eldepryl® l-Methamphetamine — nasal inhaler	
Antidepressants ^h	10	10	Amitriptyline	Nortriptyline	Amitriptyline — Elavil®, Endep®	1–3 days
			Amoxapine		Amoxapine — Asendin®	
			Citalopram/Escitalopram	Desmethylcitalopram	Citalopram/Escitalopram — Celexa® (citalopram), Lexapro® (escitalopram)	
			Desmethylcitalopram			
			Clomipramine	Desmethylclomipramine	Clomipramine — Anafranil®	
			Desmethylclomipramine			
			Desipramine	Imipramine	Imipramine — Tofranil® Desipramine — Norpramin®	
			Doxepin	Desmethyldoxepin	Doxepin — Adapin®, Sinequan®	
			Desmethyldoxepin			
			Duloxetine		Duloxetine — Cymbalta®	
			Fluoxetine	Norfluoxetine	Fluoxetine — Prozac®	
			Norfluoxetine			
			Fluvoxamine	Norfluvoxamine	Fluvoxamine — Luvox®	
Norfluvoxamine						
Hydroxybupropion		Hydroxybupropion — Aplenzin® (bupropion)				
Imipramine	Desipramine	Imipramine — Tofranil®				
Maprotiline		Maprotiline — Ludiomil®				

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.

^h Presumptive analysis uses mass spectrometry method of analysis.

Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Antidepressants ^h	10	10	Mirtazapine		Mirtazapine — Remeron [®]	1–3 days
			Nortriptyline	Amitriptyline	Amitriptyline — Elavil [®] , Endep [®]	
			Paroxetine		Nortriptyline — Aventyl [®]	
			Protriptyline		Paroxetine — Paxil [®] , Seroxat [®]	
			Sertraline	Norsertaline	Protriptyline — Vivactil [®]	
	50	50	Norsertaline		Sertraline — Zoloft [®]	
	10	10	Trazodone	1-(3-Chlorophenyl) piperazine	Trazodone — Desyrel [®]	
			1-(3-Chlorophenyl) piperazine			
			Trimipramine		Trimipramine — Surmontil [®]	
			Venlafaxine	O-desmethylvenlafaxine	Venlafaxine — Effexor [®] XR (venlafaxine), Khedezla (desvenlafaxine)	
O-desmethylvenlafaxine						
Vilazodone				Vilazodone — Viibryd [®]		
Vortioxetine		Vortioxetine — Trintellix [®]				
Antipsychotics ^h	2	2	Aripiprazole	Dehydroxyaripiprazole	Aripiprazole — Abilify [®]	1–3 days
		10	Dehydroxyaripiprazole			
	5	5	Brexpiprazole		Brexpiprazole — Rexulti [®]	
	5	5	Cariprazine		Cariprazine — Vraylar [®]	
	10	10	Chlorpromazine	7-OH-chlorpromazine	Chlorpromazine — Largactil [®] , Thorazine [®]	
			7-OH-chlorpromazine			
	25	25	Clozapine	Norclozapine	Clozapine — Clozaril [®]	
			Norclozapine			
	5	5	Fluphenazine	7-OH-fluphenazine	Fluphenazine — Modecate [®] , Prolixin [®]	
			7-OH-fluphenazine			
	1	1	Haloperidol		Haloperidol — Haldol [®]	
	5	5	Loxapine	8-hydroxyloxapine	Loxapine — Loxapac, Loxitane [®]	
			8-hydroxyloxapine			
	5	5	Lurasidone		Lurasidone — Latuda [®]	
	10	10	Mesoridazine		Mesoridazine — Serentil [®]	
5	5	Molindone		Molindone — Moban [®]		
2.5	2.5	Olanzapine	Desmethyloanzapine	Olanzapine — Zyprexa [®]		
		Desmethyloanzapine				

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.

^h Presumptive analysis uses mass spectrometry method of analysis.

Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Antipsychotics	10	10	Quetiapine	Norquetiapine	Quetiapine — Seroquel [®]	1–3 days
			Norquetiapine			
	5	5	Risperidone	OH-risperidone	Risperidone — Risperdal [®]	
			OH-risperidone			
	50	50	Thioridazine		Thioridazine — Mellaril [®] , Melleril	
			Thiothixene		Thiothixene — Navane [®]	
5	5	Trifluoperazine		Trifluoperazine — Stelazine [®]		
		Ziprasidone		Ziprasidone — Geodon [®] , Zeldox [®]		
Barbiturates	300	100	Amobarbital		Amobarbital — Amytal [®]	1–3 days short-acting; >3 long-acting
			Butalbital		Butalbital — Esgic [®] , Fioricet [®] , Fiorinal [®] , Sandoptal [®]	
			Pentobarbital		Pentobarbital — Nembutal [®]	
			Phenobarbital		Phenobarbital — Luminal [®]	
			Secobarbital		Secobarbital — Seconal [®]	
Benzodiazepines	100	50	Alpha-hydroxyalprazolam		Alprazolam — Xanax [®]	1–3 days short-acting; >3 long-acting
			Alpha-hydroxymidazolam		Midazolam — Versed [®]	
			Alpha-hydroxytriazolam		Triazolam — Halcion [®]	
			Aminoclonazepam		Clonazepam — Klonopin [®]	
			Hydroxyethylflurazepam		Flurazepam — Dalmane [®]	
			Lorazepam		Lorazepam — Ativan [®]	
			Nordiazepam	Oxazepam	Chlordiazepoxide — Librium [®]	
				Oxazepam, Temazepam	Clorazepate — Tranxene [®]	
			Oxazepam		Diazepam — Valium [®]	
					Oxazepam — Librax [®] , Serax [®]	
					Clorazepate — Tranxene [®]	
					Chlordiazepoxide — Librium [®]	
			Temazepam	Nordiazepam, Temazepam	Diazepam — Valium [®]	
Oxazepam	Temazepam — Restoril [®]					
Oxazepam, Nordiazepam	Diazepam — Valium [®]					

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.

Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Buprenorphine with Naloxone	5	2	Buprenorphine	Norbuprenorphine, Naloxone	Buprenorphine/Naloxone Combination — Suboxone®, Zubsolv®	1–3 days; injectable for subcutaneous use up to 12 months
			Norbuprenorphine	Norbuprenorphine	Buprenorphine — Belbuca®, Buprenex®, Butrans®, Sublocade®, Subutex®	
			Naloxone	Buprenorphine, Norbuprenorphine	Buprenorphine/Naloxone Combination — Suboxone®, Zubsolv®	
Carisoprodol Metabolite		1000	Meprobamate		Carisoprodol — Equagesic®, Soma® Meprobamate — Equanil®	1–3 days
Cocaine Metabolite	150	100	Benzoyllecgonine		Cocaine — Coke	1–3 days
Eszopiclone		5	Eszopiclone		Eszopiclone — Lunesta®	1–3 days
Fentanyl	0.5	0.5	Fentanyl Norfentanyl	Norfentanyl	Fentanyl — Abstral®, Actiq®, Duragesic®, Fentora®, Ionsys™, Sublimaze®	1–3 days; >20 days chronic use
Gabapentin		1000	Gabapentin		Gabapentin — Fanatrex®, Gralise®, Horizant®, Neurontin®	1–3 days
Heroin Metabolite	10	10	6-Acetylmorphine		Heroin — Heroin	1 day
Ketamine		50	Ketamine	Norketamine	Ketamine — K, Special K, Vitamin K, K-hole	1-2 days
Marijuana Metabolite	20	5	Marijuana Metabolite		Dronabinol — dronabinol, Marinol® Marijuana — pot, weed	1–3 days casual use; >3 days chronic use
MDMA/MDA	500	200	MDMA MDA	MDA	Ecstasy Sally	1-2 days
Meperidine		100/100	Meperidine Normeperidine	Normeperidine	Meperidine — Demerol®	1-3 days
Methadone Metabolite	100	100	Methadone EDDP	EDDP	Methadone — Dolophine®	1–3 days
Methylphenidate		100	Ritalinic Acid		Methylphenidate — Concerta®, Ritalin®	1–3 days

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.

Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Mitragynine	50	2	Mitragynine		Kratom	1–3 days
Naltrexone		5	Naltrexone 6-beta-naltrexol	6-beta-naltrexol	Naltrexone — ReVia [®] , Vivitrol [®]	1–3 days
Opiates ⁱ	100	50	Codeine	Morphine	Codeine — Acetaminophen with Codeine, Phenergan [®] , Phenergan [®] with Codeine, Tylenol [®] #3, Tylenol [®] #4, Tylenol [®] with Codeine Poppy seed ingestion	1–3 days
				Hydrocodone	Codeine minor metabolite	
			Morphine	Codeine	Morphine — Arymo [™] , AVINZA [®] , Embeda [®] , Kadian [®] , MorphaBond [™] , MS Contin [®] , Roxanol [™] ; Heroin Codeine — Acetaminophen with Codeine, Phenergan [®] , Phenergan [®] with Codeine, Tylenol [®] #3, Tylenol [®] #4, Tylenol [®] with Codeine Poppy seed ingestion	
				Hydromorphone	Morphine minor metabolite	
				Heroin Metabolite	Heroin metabolite	
			Hydrocodone	Hydromorphone, Norhydrocodone Codeine, Morphine	Hydrocodone — Hycodan [®] , Hyslingla [®] , Lorcet [®] , Lortab [®] , Norco [®] , Vicodin [®] , Vicoprofen [®] , Zohydro [®] Codeine minor metabolite	
Hydromorphone	Hydrocodone, Norhydrocodone Morphine	Hydrocodone — Dilaudid [™] , Exalgo [®] Hydrocodone — Hycodan [®] , Hyslingla [®] , Lorcet [®] , Lortab [®] , Norco [®] , Vicodin [®] , Vicoprofen [®] , Zohydro [®] Morphine minor metabolite				
Norhydrocodone	Hydrocodone, Hydromorphone	Hydrocodone — Hycodan [®] , Hyslingla [®] , Lorcet [®] , Lortab [®] , Norco [®] , Vicodin [®] , Vicoprofen [®] , Zohydro [®]				
Oxycodone	100	50	Noroxycodone	Oxycodone, Oxymorphone	Oxycodone — Endocet [®] , Magnacet [®] , OxyContin [®] , OxyFAST [®] , Percocet [®] , Percodan [®] , Roxicet [®] , Roxicodone [®] , RoxyBond [™] , Tylox [®] , Xtampza [®] Oxymorphone — Opana [®]	1–3 days
			Oxycodone	Noroxycodone, Oxymorphone		
			Oxymorphone	Oxycodone, Noroxycodone		
Phencyclidine	25	25	Phencyclidine		Phencyclidine — PCP	1–3 days
Phosphatidylethanol (PEth), Blood		20	Alcohol		Alcohol biomarker	2–4 weeks ^j

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.

ⁱ Expanded Opiates includes Oxycodone.

^j Detection time in blood.

Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

Reference guide

Drug/drug class	Presumptive cutoff (ng/mL)	Definitive cutoff (ng/mL)	Reportable drug or metabolite	Additional reportable drug/metabolite [§]	Examples of generic/trade/street name	Urine detection time [§]
Pregabalin		1000	Pregabalin		Pregabalin — Lyrica [®]	1–3 days
Tapentadol		50	Tapentadol Nortapentadol	Nortapentadol	Tapentadol — Nucynta [®]	1–3 days
Tramadol		100	Tramadol Desmethyltramadol	Desmethyltramadol	Tramadol — Conzip [™] , Ryzolt [™] , Ultram [®]	1–3 days
Tricyclic Antidepressants		100	Amitriptyline Nortriptyline	Nortriptyline	Amitriptyline — Elavil [®] , Endep [®] Nortriptyline — Aventyl [®] , Pamelor [®]	1–3 days
Zolpidem		5	Zolpidem Zolpidem Metabolite	Zolpidem Metabolite	Zolpidem — Ambien [®] , Edluar [®] , Intermezzo [®] , Zolpimist [®]	1–3 days

[§] Depends upon drug usage patterns, drug/drug metabolite elimination, and test cutoff.






Note: Unless otherwise specified, the presumptive method of analysis is immunoassay.

Clinical drug monitoring

An industry leader committed to responsible drug testing

Healthcare providers have trusted Quest Diagnostics for clinical drug monitoring for years. Our reputation in clinical laboratory diagnostics is built on an unparalleled commitment to service, coupled with our industry leading, comprehensive testing portfolio, including prescription drugs used in the treatment of chronic pain, anxiety, depression, and substance use disorder; other controlled medications; and illicit drugs and substances of abuse.

You can rely on us for:

-  **Performance testing**—High-sensitivity, low cut-off levels designed to detect drugs at typical dosage levels. Urine, oral fluid, and blood testing options to meet any of your sample requirements
-  **Comprehensive test menu**—Diagnostic services for infectious diseases, cardiovascular disease, women’s health, neurology, oncology, and general diagnostic tests to meet diverse patient needs
-  **Reporting and data**—Optional medMATCH result interpretation: “Inconsistent” when results do not match prescriptions provided by clinician. Quarterly local/practice-level data and analytics utilizing our industry-leading database
-  **The right price**—In-network for 90% of lives nationwide^k and preferred lab network status with major health plans. Accessible testing and financial assistance programs for uninsured or qualified patients
-  **Convenience and connectivity**—Nationwide logistics services. Connectivity to nearly 850 EHR systems for efficiency within your existing workflow

^kThis is directional data. It is based on 2020 HealthLeaders membership data of private third-party payers at the Managed Care Organization (MCO) level, as well as Quest internal data. Information is believed to be accurate as of January 1, 2020; however, it is subject to change.

On-staff toxicology experts

When you have a question, our industry-leading toxicology experts are available to discuss:

- Test selection, sample requirements, and medMATCH inclusion
- Results interpretations and questions about adding additional substances to a test
- Complex questions via a 1:1 consultation



Connect with our team at **1.877.40.RXTOX (1.877.407.9869)** | Monday-Friday, 8:00 AM–10:00 PM EST

QuestDrugMonitoring.com

Get the latest information, view our comprehensive test directory, and learn more about our drug monitoring offerings, including educational resources and insights from our team of toxicology experts. At Quest, we are committed to providing you objective results and insight to support your clinical decisions.

Test codes may vary by location. Please contact your local laboratory for more information.

[QuestDiagnostics.com](https://www.questdiagnostics.com)

Quest®, Quest Diagnostics®, any associated logos, and all associated Quest Diagnostics registered or unregistered trademarks are the property of Quest Diagnostics. All third-party marks—® and ™—are the property of their respective owners. © 2024 Quest Diagnostics Incorporated. All rights reserved. MI7659 4/2024

